


FINISHED GRADE AT TOP OF WALL SHALL BE DESIGNED FOR PROPER DRAINAGE TO PREVENT PONDING. SEE DRAWING #304 FOR ADDITIONAL INFORMATION



**EMBEDMENT SHOULD BE THE GREATER OF 6" OR H/20 FOR WALLS WITH LEVEL GRADE AT THE TOE. REFER TO RECON'S EMBEDMENT RECOMMENDATION DOCUMENT FOR ADDITIONAL INFORMATION FOR WALLS WITH A TOE SLOPE CONDITION.

© Copyright 2016 ReCon Wall Systems, Inc. All Rights Reserved

Disclaimer: This drawing has been prepared by ReCon Wall Systems, Inc. and to the best of its knowledge, accurately represents the product use in the application that it is illustrated. This drawing is intended for conceptual purposes only. Anyone making use of this drawing does so at their own risk and assumes all liability for such use. Final design for construction purposes must be completed by a Registered Professional Engineer who is familiar with the product and who has taken into account specific site conditions.



DRAWING #103

TYPICAL GRAVITY WALL CROSS SECTION

RECON WALL SYSTEMS, INC.
 7600 W. 27th STREET, #229
 ST. LOUIS PARK, MN 55426
 952-922-0027
 www.reconwalls.com