

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 05/08/2017 Revision date: 01/31/2018 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixtures
Product name	: Sakrete Blacktop Patch
1.2. Recommended use and restriction	s on use
Recommended use	: Road and construction applications
1.3. Supplier	
Sakrete of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217 T 866-725-7383	
1.4. Emergency telephone number	
Emergency number	<ul> <li>For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night 1-800-424-9300 [USA] / +1 703-527-3887 [CAN]</li> </ul>
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance or r	nixture
GHS-US classification	
Carc. 1A	
STOT RE 1	
2.2. GHS Label elements, including pre	cautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: May cause cancer Causes damage to lungs through prolonged or repeated exposure
Precautionary statements (GHS-US)	<ul> <li>Obtain special instructions before use Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray</li> <li>Wash hands, forearms and face thoroughly after handling Do not eat, drink or smoke when using this product</li> <li>Wear protective gloves/protective clothing/eye protection/face protection If exposed or concerned: Get medical advice/attention Store locked up</li> <li>Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> </ul>
2.3. Other hazards which do not result	in classification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	

Not applicable

SECTION 3: Com	position/Informatio	n on ingredients

#### **Substances** 3.1.

Not applicable

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

3.2. Mixtures				
Name		Product identifier	%	
Asphal		(CAS-No.) 8052-42-4	≥ 70	
Quartz		(CAS-No.) 14808-60-7	>1	

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effe	cts (acute and delayed)	
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.	
Symptoms/effects after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.	
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
4.3. Immediate medical attention and special treatment, if necessary		
Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).		
SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		

T. Suitable (and unsuitable) extinguishing media			
Suitable extinguishing media	: Carbon dioxide (CO2), dry chemical powder, water spray.		
Unsuitable extinguishing media	: None known.		
5.2. Specific hazards arising	from the chemical		
Fire hazard	<ul> <li>Products of combustion may include, and are not limited to: oxides of carbon. Oxides of nitrogen. Oxides of sulfur. Vapors may contain hydrogen sulfide gas (H2S) which can be harmful or fatal if inhaled.</li> </ul>		
Reactivity	: No dangerous reactions known under normal conditions of use.		
5.3. Special protective equipr	nent and precautions for fire-fighters		
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).		
<b>SECTION 6: Accidental rele</b>	SECTION 6: Accidental release measures		
6.1. Personal precautions, pro	otective equipment and emergency procedures		
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.		
6.1.1. For non-emergency perso	onnel		
No additional information available			
6.1.2. For emergency responde	rs		

#### For emergency responders 6.1.2.

No additional information available

**Environmental precautions** 6.2.

Prevent entry to sewers and public waters.

6.3.	Methods and material for containment and cleaning up		
For con	ainment	: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate mate then place in suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate personal protection equipment (PPE).	rial),
Method	s for cleaning up	: Scoop up material and place in a disposal container.	
01/31/20	18	EN (English US)	2/6

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Reacts violently on contact with water. Risk of thermal burns on contact with hot product.		
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Do not breathe dust, fume, gas, mist, spray, vapors. Do not swallow. When using do not eat, drink or smoke. Handle and open container with care.		
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.		
7.2. Conditions for safe storage, in	ncluding any incompatibilities		
Storage conditions	: Keep out of the reach of children. Store in dust-tight, dry, labelled containers. Keep containers closed when not in use. Do not store in an area equipped with emergency water sprinklers.		

## **SECTION 8: Exposure controls/personal protection**

Asphalt (8052-42-4)						
ACGIH	0.5 mg/m <sup>3</sup> (fume, inhalable particulate matter)					
NIOSH NIOSH REL (ceiling) (mg/m <sup>3</sup> ) 5 mg/m <sup>3</sup> (fume)						
Quartz (14808-60-7)						
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable particulate matter)				
OSHA	HA OSHA PEL (TWA) (mg/m³) 50 μg/m³					
IDLH US IDLH (mg/m <sup>3</sup> ) 50 mg/m <sup>3</sup> (respirable dust)						
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (respirable dust)				

8.2.	Appropriate engineering controls		
Appropriate engineering controls		:	Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Environ	mental exposure controls	:	Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear suitable waterproof gloves

### Eye protection:

Wear approved eye (properly fitted dust- or splash-proof chemical safety goggles) / face (face shield) protection.

#### Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

SECTION 9: Physical and chemical properties			
9.1. Information on basic	9.1. Information on basic physical and chemical properties		
Physical state	: Liquid (at elevated temperature)		
Appearance	: Semi-solid (at ambient temperature) Viscous		
Color	: Black		
0.1/0.1/0.0.10		2/2	

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

coording to the mazard communication standard (er	
Odor	: Mild petroleum odour
Odor threshold	: No data available
рН	: No data available
Melting point	: 86 - 149 °F
Freezing point	: No data available
Boiling point	: > 380 °F
Flash point	: > 200 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1 - 1.04
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: > 300 cSt @ 140°F
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
VOC content	: 32 g/l
SECTION 40. Stability and reactivity	
SECTION 10: Stability and reactivit	57 
10.1. Reactivity No dangerous reactions known under normal of	conditions of uso
-	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	\$

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Moisture. Incompatible materials.

## 10.5. Incompatible materials

Strong acids. Strong oxidizers.

## 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Oxides of nitrogen. Oxides of sulfur.

## **SECTION 11: Toxicological information**

11.1.	Information	on	toxicological	effects

: Not classified

Asphalt (8052-42-4)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Asphalt (8052-42-4)	
IARC group	2B - Possibly carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes
Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Causes damage to lungs through prolonged or repeated exposure. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.
SECTION 12: Ecological information	
I2.1. Toxicity	
Ecology - general	: No ecological consideration when used according to directions.
2.2. Persistence and degradability	
Sakrete Blacktop Patch	1
Persistence and degradability	Not established.
2.3. Bioaccumulative potential	
Sakrete Blacktop Patch	
Bioaccumulative potential	Not established.
Asphalt (8052-42-4)	
	(no bioaccumulation expected)
BCF fish 1 Partition coefficient n-octanol/water	

12.5.	Other adverse effects		
Effect o	n the global warming	No known ecological damage caused by this product.	
Other ir	nformation	: No other effects known.	

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Product/Packaging disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.		

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

### SECTION 14: Transport information

Department	of Transportation	(DOT)
------------	-------------------	-------

In accordance with DOT

UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)

- : UN1999
- : Tars, liquid
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120



## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.2. International regulations

#### No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information		
Date of issue	: 05/08/2017	
Revision date	: 05/08/2017	
Other information	: None.	
Prepared by	: Nexreg Compliance Inc. www.Nexreg.com	N E X R E G

#### SDS US (GHS HazCom 2012)\_NEXREG\_NEW

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.