

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Date of issue: 07/03/2013 Supersedes: 01/31/2018 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name. : Sakrete Maximizer

Product code: 65200016 - 40lb: 65200007 - 80lb

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Various.

1.3. Details of the supplier of the safety data sheet

Sakrete of North America

625 Griffith Rd., Ste 100 Charlotte, NC 28217

T 800-334-0784 Tech Service: Monday - Friday; 8:00am - 5:00pm EST

1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

1-800-424-9300 [USA] / +1 703-527-3887 [CAN]

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

### **GHS-US** classification

Acute toxicity 4 (Oral) Skin irritation 2 Serious eye damage 1 Skin sensitization 1 Carcinogenicity 1A

Specific target organ toxicity - single exposure 3 Specific target organ toxicity - repeated exposure 1

### 2.2. Label elements

### **GHS-US** labelling

Hazard pictograms (GHS-US)



GHS07



Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to organs

through prolonged or repeated exposure.

Precautionary statements (GHS-US) : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe dust. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents and container in accordance with all local, regional, national and international regulations.

### 2.3. Other hazards

Other hazards not contributing to the : Not applicable.

classification

### 2.4. Unknown acute toxicity (GHS US)

22 % of the mixture consists of ingredient(s) of unknown acute toxicity.

01/31/2018 EN (English) Page 1



## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Quartz	(CAS No) 14808-60-7	30 - 60	Carc. 1A, H350 STOT RE 1, H372
Cement, portland, chemicals	(CAS No) 65997-15-1	15 - 40	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335
Calcium oxide	(CAS No) 1305-78-8	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact

: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

First-aid measures after eye contact

: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

First-aid measures after ingestion

: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: May cause respiratory irritation.

Symptoms/injuries after skin contact

: Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitisation by skin contact

Symptoms/injuries after eye contact

Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Symptoms/injuries after ingestion

: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Treat for surrounding material.

Unsuitable extinguishing media : None known

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

Reactivity : No dangerous reaction known under conditions of normal use.

## 5.3. Advice for firefighters

Protection during firefighting :

: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel.

## 6.2. Methods and material for containment and cleaning up

For containment : Contain spill then place in a suitable container. Do not flush to sewer or allow to enter

waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Vacuum or sweep material and place in a disposal container.

### 6.3. Reference to other sections

No additional information available.

01/31/2018 EN (English) 2/6



## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not swallow. Good housekeeping is important to prevent

accumulation of dust. Avoid generating and breathing dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care.

Hygiene measures : Wash hands before eating, drinking, or smoking. Launder contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed when not in use. Store in dust-

tight, dry, labelled containers. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water

sprinklers

Incompatible materials : Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal.

### 7.3. Specific end use(s)

Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Quartz (14808-60-7)				
USA ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³		
USA OSHA OSHA PEL (TWA) (mg/m³)		$(30)/(\%SiO_2 + 2) \text{ mg/m}^3 \text{ TWA}$ , total dust $(250)/(\%SiO_2 + 5) \text{ mppcf TWA}$ , respirable fraction $(10)/(\%SiO_2 + 2) \text{ mg/m}^3 \text{ TWA}$ , respirable fraction		
Cement, portland, chemicals	Cement, portland, chemicals (65997-15-1)			
USA ACGIH ACGIH TWA (mg/m³)		1 mg/m <sup>3</sup>		
Calcium oxide (1305-78-8)				
LISA ACGIH	ACGIH TWA (mg/m³)	2 ma/m³		

### 8.2. Exposure controls

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear suitable waterproof gloves.

Eye protection : Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and

face protection (face shield).

Skin and body protection : Wear suitable waterproof protective clothing.

Respiratory protection : A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or

when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection

(Z88.2).

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully

before eating or smoking. Handle according to established industrial hygiene and safety

practices.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Solid.Appearance: Powder.Colour: Various.Odour: Characteristic.Odour threshold: No data available.

pH : 12 - 13

Relative evaporation rate (butylacetate=1) : No data available. : No data available. Melting point Freezing point No data available. **Boiling point** : No data available. Flash point : No data available. : No data available. Self ignition temperature Decomposition temperature : No data available. Flammability (solid, gas) : Not Flammable.

01/31/2018 EN (English) 3/6



## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Vapour pressure : No data available. Relative vapour density at 20 °C : No data available. Relative density No data available. Solubility No data available. : No data available. Log Pow Log Kow : No data available. Viscosity, kinematic No data available. : No data available. Viscosity, dynamic Explosive properties : No data available. : No data available. Oxidising properties Explosive limits No data available.

#### 9.2 Other information

VOC content : 0%, Not applicable; 0 wt, Not applicable.

## **SECTION 10: Stability and reactivity**

### Reactivity

No dangerous reaction known under conditions of normal use.

### **Chemical stability**

Stable under normal storage conditions. Keep dry in storage.

### Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### **Conditions to avoid**

Incompatible materials. Moisture.

### Incompatible materials

Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal.

### **Hazardous decomposition products**

May include, and are not limited to: oxides of carbon.

## **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

Acute toxicity : Harmful if swallowed.

Quartz (14808-60-7)	Quartz (14808-60-7)	
LD50 oral rat	500 mg/kg	
Calcium oxide (1305-78-8)		
LD50 oral rat	500 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	

Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity May cause cancer.

Quartz (14808-60-7)	
IARC group	1
National Toxicity Program (NTP)	2

Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity (single exposure) May cause respiratory irritation.

Specific target organ toxicity (repeated Causes damage to organs through prolonged or repeated exposure. (Respirable crystalline silica exposure) in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual

susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time

(usually years) of exposure.)

Aspiration hazard Based on available data, the classification criteria are not met.

Potential Adverse human health effects and

symptoms

Symptoms/injuries after inhalation

: Not available.

: May cause respiratory irritation.

01/31/2018 EN (English) 4/6



Symptoms/injuries after eye contact

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Symptoms/injuries after skin contact

: Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitisation by skin

Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and

swelling.

Symptoms/injuries after ingestion : Harmful if swallowed. May cause stomach distress, nausea or vomiting.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.

### 12.2. Persistence and degradability

Sakrete Maximizer		
Persistence and degradability	No data available	

### 12.3. Bioaccumulative potential

Sakrete Maximizer		
Bioaccumulative potential	No data available.	

### 12.4. Mobility in soil

Sakrete Maximizer		
Ecology - soil	No data available.	

### 12.5. Other adverse effects

Other adverse effects : No data available.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

## SECTION 14: Transport information

In accordance with DOT

### 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

### 14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

### Quartz (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Cement, portland, chemicals (65997-15-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Calcium oxide (1305-78-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.3. US State regulations

Sakrete Maximizer		
State or local regulations	This product contains Crystalline Silica, Quartz and may also contain other chemicals	
	known to the State of California to cause cancer, birth defects or other reproductive harm.	

01/31/2018 EN (English) 5/6




Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Quartz (14808-60-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	No

## **SECTION 16: Other information**

Data sources SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom

NFPA health hazard 3 NFPA fire hazard 1 NFPA reactivity 0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

