

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 02/14/2014 Revision date: 02/14/2014 Version: 1.0

2400	
SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Sakrete Paver Set Polymeric Sand
	Sakrete PermaSand Polymer Jointing Sand
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
Use of the substance/mixture	: Various.
1.3. Details of the supplier of the safety	/ data sheet
Sakrete of North America 8201 Arrowridge Blvd. 28273 Charlotte, NC - USA T 866-725-7383	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
GHS-US classification	
Acute toxicity 4 (Oral) Serious Eye Irritation 2A Skin Sensitization 1 Carcinogenicity 1A Specific Target Organ Toxicity After Repeated 2.2. Label elements	Exposure 1
GHS-US labelling Hazard pictograms (GHS-US)	
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Harmful if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. May cause cancer. Causes damage to lungs through prolonged or repeated exposure.
Precautionary statements (GHS-US)	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin: Wash with plenty water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.
2.3. Other hazards	
Other hazards not contributing to the classification	: Not applicable.
2.4. Unknown acute toxicity (GHS-US)	

2.4. Unknown acute toxicity (GHS-US)

Sakrete Paver Set Polymeric Sand: 4% of the mixture consists of ingredient(s) of unknown acute toxicity. Sakrete PermaSand Polymer Jointing Sand: 2% of the mixture consists of ingredient(s) of unknown acute toxicity.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 3: Composition/information on ingredients 3.1. Substance Not applicable **Mixture** 3.2. Name Product identifier % **GHS-US** classification (CAS No) 14808-60-7 60 - 100 Acute Tox. 4 (Oral) Quartz Carc. 1A STOT RE 1 Cement, portland, chemicals (CAS No) 65997-15-1 0.5 - 2 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 STOT SE 3 The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. **SECTION 4: First aid measures Description of first aid measures** 4.1. : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for First-aid measures after inhalation breathing. Get medical advice/attention if you feel unwell. In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing First-aid measures after skin contact and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. First-aid measures after eye contact In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention. If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give First-aid measures after ingestion anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries after inhalation : May cause respiratory tract irritation. Symptoms/injuries after skin contact May cause skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitisation by skin contact. Symptoms/injuries after eye contact Causes serious eve irritation. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. Symptoms/injuries after ingestion : Harmful if swallowed. May cause stomach distress, nausea or vomiting. 4.3. Indication of any immediate medical attention and special treatment needed Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION	N 5: Firefighting measures	
5.1. E	xtinguishing media	
Suitable ext	tinguishing media	: Treat for surrounding material.
Unsuitable e	extinguishing media	: Not available.
5.2. S	pecial hazards arising from the sub	ostance or mixture
Fire hazard		: Products of combustion may include, and are not limited to: oxides of carbon.
5.3. A	dvice for firefighters	
Firefighting	instructions	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION	N 6: Accidental release meas	sures
6.1. P	ersonal precautions, protective equ	uipment and emergency procedures
General me	easures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.2. M	lethods and material for containme	nt and cleaning up
For contain	ment	: Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for	r cleaning up	: Vacuum or sweep material and place in a disposal container.
6.3. R	eference to other sections	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

	ion Standard (CFR29 1910.1200) HazCol	III 2012.
SECTION 7: Handling a	nd storage	
7.1. Precautions for safe	handling	
Precautions for safe handling	accumulation o cleaning clothir	Avoid contact with skin and eyes. Good housekeeping is important to prevent of dust. Avoid generating and breathing dust. The use of compressed air for ng, equipment, etc, is not recommended. Handle and open container with care. o not eat, drink or smoke.
Hygiene measures	: Launder contar	minated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe	storage, including any incompatik	bilities
Storage conditions	: Keep out of the tightly closed w	e reach of children. Store in dust-tight, dry, labelled containers. Keep container when not in use. Avoid any dust buildup by frequent cleaning and suitable the storage area. Do not store in an area equipped with emergency water
7.3. Specific end use(s)		
No additional information availa	ble.	
SECTION 8: Exposure of	controls/personal protection	n
8.1. Control parameters		
Querta (11900 00 7)		
Quartz (14808-60-7) USA ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	(30)/(%SiO ₂ + 2) mg/m ³ TWA, total dust (250)/(%SiO ₂ + 5) mppcf TWA, respirable fraction (10)/(%SiO ₂ + 2) mg/m ³ TWA, respirable fraction
Cement, portland, chemical	s (65997-15-1)	
USA ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m³
8.2. Exposure controls		
Appropriate engineering control		adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below exposure limits.
Hand protection		waterproof gloves.
Eye protection	: Wear approved face protection	d eye protection (properly fitted dust- or splash-proof chemical safety goggles) and (face shield).
Skin and body protection	: Wear suitable v	waterproof protective clothing.
Respiratory protection	when permissil under the direc	oved dust mask or filtering facepiece is recommended in poorly ventilated areas of ble exposure limits may be exceeded. Respirators should be selected by and used ction of a trained health and safety professional following requirements found in ator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection
Other information		oke or drink where material is handled, processed or stored. Wash hands carefull or smoking. Handle according to established industrial hygiene and safety
SECTION 9: Physical an	nd chemical properties	
9.1. Information on basi	c physical and chemical propertie	95
Physical state	: Solid.	
Appearance	: Powder.	
Colour	: Various.	
Odour	: Characteristic.	
Odour threshold	: No data availat	ble.
рН	: 12 – 13	
Relative evaporation rate (butyl	,	
Melting point	: No data availat	
Freezing point	: No data availat	
Boiling point	: No data availat	
Flash point	No data availat	
Self ignition temperature	: No data availat	DIE.

Vapour pressure

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Relative vapour density at 20 °C	: No data available.
Relative density	: No data available.
Solubility	: No data available.
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.
9.2. Other information	

VOC content

: 0%, Not applicable; 0 wt, Not applicable

VOC content	: 0%, Not applicable; 0 wt, Not applicable.
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No dangerous reaction known under conditions of	normal use.
10.2. Chemical stability	
Stable under normal storage conditions. Keep dry	in storage.
10.3. Possibility of hazardous reactions	
No dangerous reaction known under conditions of	normal use.
10.4. Conditions to avoid	
Incompatible materials. Moisture.	
10.5. Incompatible materials	
Wet cement is alkaline and incompatible with acid	, ammonium salts and aluminum metal.
10.6. Hazardous decomposition products	
May include, and are not limited to: oxides of carb	QD.
SECTION 11: Toxicological informatio	
11.1. Information on toxicological effects	
Acute toxicity	: Harmful if swallowed.
Sakrete Paver Set Polymeric Sand; Sakrete P	ermaSand PolymerJointing Sand
LD50 oral rat	510 - 525 mg/kg
LD50 dermal rabbit	No data available.
LC50 inhalation rat (mg/l)	No data available.
Quartz (14808-60-7)	
LD50 oral rat	500 mg/kg
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: May cause cancer.
Quartz (14808-60-7)	
IARC group	1
National Toxicity Program (NTP) Status	2
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Causes damage to lungs through prolonged or repeated exposure. (Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.)

Safety Data Sneet according to the Hazard Communication Standard (CFR2)	9 1910.1200) HazCom 2012.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitisation by skin contact.
Symptoms/injuries after eye contact	 Causes serious eye irritation. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: Harmful if swallowed. May cause stomach distress, nausea or vomiting.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.
12.2. Persistence and degradability	
Sakrete Paver Set Polymeric Sand; Sakrete	PermaSand PolymerJointing Sand
Persistence and degradability	No data available.
12.3. Bioaccumulative potential	
Sakrete Paver Set Polymeric Sand; Sakrete I	PermaSand PolymerJointing Sand
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
Sakrete Paver Set Polymeric Sand; Sakrete	PermaSand PolymerJointing Sand
Ecology - soil	No data available.
12.5. Other adverse effects	
Other adverse effects	: No data available.
SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations.
SECTION 14: Transport information	
In accordance with DOT	
14.1. UN number	
Not applicable	
14.2. UN proper shipping name	
Not applicable	
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Quartz (14808-60-7)	
Listed on the United States TSCA (Toxic Substa	ances Control Act) inventory

Cement, portland, chemicals (65997-15-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State regulations

Sakrete Paver Set Polymeric Sand; Sakrete PermaSand PolymerJointing Sand	
State or local regulations	This product contains Crystalline Silica, Quartz and may also contain other chemicals
	known to the State of California to cause cancer, birth defects or other reproductive harm.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

IARC (I)	International Agency for Research on Cancer.	
	 Carcinogenic to humans; Probably carcinogenic to humans; Possibly carcinogenic to humans; Not classifiable; Probably not carcinogenic to humans. 	
NTP (N)	National Toxicology Program.	
	 Evidence of Carcinogenicity; Known Human Carcinogens; Reasonably anticipated to be Human Carcinogen; Substances delisted from report on Carcinogens; Twelfth Report - Items under consideration. 	

SECTION 16. Other million	
Indication of changes	: None.
Other information	: None.
NFPA health hazard	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product